



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

SDS # : 38674

**MOTOR OIL 5W-30 DEXOS2**

Date of the previous version: 2010-04-16

Revision Date: 2011-02-21

Version 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

1.1. Product identifier

<b>Product name</b>	<b>MOTOR OIL 5W-30 DEXOS2</b>
<b>Number</b>	QYA
<b>Pure substance/mixture</b>	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Motor oil.
------------------------	------------

1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	TOTAL BELGIUM Handelsstraat, 93, Rue du Commerce B-1040 BRUSSEL - BRUXELLES België - Belgique Tél : +32 (0)22 889 933 Fax : +32 (0)22 883 260
-----------------	--

For further information, please contact

Contact Point	HSE
E-mail Address	rm.be-reach-belgium-msds@total.com

1.4. Emergency telephone number

Official National Emergency Number:

Teleserv S.O.S Total Belgium : +32 (0)16 271 261  
On duty staff in Ertvelde (Lub): +32 (0)475 66 07 77

Burns Centers:

Bruxelles - (NOH) - Brussel : +32 (0)2 264 48 48, Hopital Militaire Reine Astrid - Militair Hospitaal Koningin Astrid  
Antwerpen - Anvers : +32 (0)3 217 71 11, Algemeen centrum Ziekenhuis  
Gent - Gand : +32 (0)9 240 34 90 Centre Universitaire UZ Gand-Universitair Ziekenhuis UZ Gent  
Leuven - Louvain : +32 (0)16 34 87 50 U.Z. Leuven  
Loverval : +32 (0)71 44 80 00, Hôpital Saint Joseph et Sainte Thérèse, section I.M.T.R  
Luik - Liège : +32 (0)4 366 72 94, CHU Liège domaine Universitaire du Sart Tilman

Poison center:

c/o Hôpital Militaire Reine Astrid  
Militair Hospitaal Koningin Astrid  
1 Rue Bruyn - Bruynstraat 1  
B-1120 Bruxelles - Brussel  
+32 (0)70 245 245

Version EUBE

SDS # : 38674

**MOTOR OIL 5W-30 DEXOS2**

Revision Date: 2011-02-21

Version 2

**2. HAZARDS IDENTIFICATION**2.1. Classification of the substance or mixture**REGULATION (EC) No 1272/2008***For the full text of the H-Statements mentioned in this Section, see Section 2.2.***DIRECTIVE 67/548/EEC or 1999/45/EC***For the full text of the R-phrases mentioned in this Section, see Section 16.*

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments.

**Symbol(s)**

Not Classified

2.2. Label elements

**Labelled according to:** Not classified/No labelling required

**R-phrases(s)**

None

**S-phrases(s)**

None

Safety data sheet available for professional user on request.

2.3. Other hazards

**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.

**Environmental properties** Should not be released into the environment.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	Classification (Dir. 67/548)	GHS Classification
Styrene hydrocarbon polymer	-	no data available	^	<2.5	R53	
Zinc alkyl dithiophosphate	272-028-3	no data available	68649-42-3	<0.55	Xi;R38 Xi;R41 N;R51-53	
Zinc alkyl dithiophosphate	272-028-3	no data available	68649-42-3	<0.55	Xi;R38 N;R51-53	

Version EUBE

SDS # : 38674

**MOTOR OIL 5W-30 DEXOS2**

Revision Date: 2011-02-21

Version 2

Diphenylamine	204-539-4	no data available	122-39-4	<0.125	T; R23/24/25 R33 N; R50 R53	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
---------------	-----------	-------------------	----------	--------	-----------------------------------	---

**Additional information** Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

**For the full text of the R-phrases mentioned in this Section, see Section 16.  
For the full text of the H-Statements mentioned in this Section, see Section 16.**

#### 4. FIRST AID MEASURES

##### 4.1. Description of first aid measures

<b>General advice</b>	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin contact</b>	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	If swallowed, do not induce vomiting - seek medical advice.

##### 4.2. Most important symptoms and effects, both acute and delayed

<b>Eye contact</b>	Not classified.
<b>Skin contact</b>	Not classified.
<b>Inhalation</b>	Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

##### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Foam. Carbon dioxide (CO <sub>2</sub> ). ABC powder. Water spray.
<b>Unsuitable Extinguishing Media</b>	Do not use a solid water stream as it may scatter and spread fire.

Version EUBE

SDS # : 38674

# MOTOR OIL 5W-30 DEXOS2

Revision Date: 2011-02-21

Version 2

## 5.2. Special hazards arising from the substance or mixture

**Special hazard** Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

## 5.3. Precautions for fire-fighters

**Special protective equipment for fire-fighters** Wear self-contained breathing apparatus and protective suit.

**Other information** Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

**General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery.

### 6.2. Environmental precautions

**General Information** Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

### 6.3. Methods and materials for containment and cleaning up

**Methods for cleaning up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

**Personal protective equipment** See Section 8 for more detail

**Waste treatment** See section 13

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

**Advice on safe handling** When using, do not eat, drink or smoke. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. For personal protection see section 8.

Version EUBE

SDS # : 38674

**MOTOR OIL 5W-30 DEXOS2**

Revision Date: 2011-02-21

Version 2

**Hygiene measures**

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and at the end of workday. Do not use abrasives, solvents or fuels. Avoid extended and repeated contact with the skin as this may cause skin disorders, which may also be aggravated by minor injuries or by contact with soiled clothing. Avoid prolonged and repeated contact with the skin, especially with used or waste product. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

7.2. Conditions for safe storage, including any incompatibilities**Technical measures/Storage conditions**

Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Take precautionary measures against static discharges. Protect from frost, heat and sunlight. Protect from moisture.

**Materials to avoid**

Oxidizing agents, Acids.

7.3. Specific use(s)**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parametres**Exposure limits**

oil mist : 10mg/m<sup>3</sup>, for 15 minutes; oil mist : 5mg/m<sup>3</sup>, for 8 hours

Chemical Name	European Union	Belgium
Diphenylamine 122-39-4		TWA 10 mg/m <sup>3</sup>

**Legend**

See section 16

8.2. Exposure controls**Occupational Exposure Controls****Engineering measures**

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

**Personal protective equipment**

Version EUBE

SDS # : 38674

**MOTOR OIL 5W-30 DEXOS2**

Revision Date: 2011-02-21

Version 2

<b>General Information</b>	These recommendations apply to the product as supplied. If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.
<b>Respiratory protection</b>	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 141). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
<b>Eye protection</b>	If splashes are likely to occur, wear: Safety glasses with side-shields.
<b>Skin and body protection</b>	Protective gloves. Protective shoes or boots. Long sleeved clothing.
<b>Hand protection</b>	Hydrocarbon-proof gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

**Environmental exposure controls**

**General Information** The product should not be allowed to enter drains, water courses or the soil.

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

<b>Colour</b>		yellow to amber	
<b>Physical state @20°C</b>		Liquid	
<b>Odour</b>		characteristic	
<b>Property</b>	<b>Values</b>	<b>Remarks</b>	<b>Method</b>
<b>pH</b>		not applicable	
<b>Boiling point/boiling range</b>		No information available	
<b>Flash point</b>	<b>&gt; 200 °C</b> > 392 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC).
<b>Evaporation rate</b>		No information available	
<b>Flammability Limits in Air</b>		No information available	
<b>Vapour pressure</b>		No information available	
<b>Vapour density</b>		No information available	
<b>Density</b>	850 kg/m <sup>3</sup>	@ 15 °C	
<b>Water solubility</b>		Insoluble	
<b>Solubility in other solvents</b>		Soluble in many common organic solvents	
<b>logPow</b>		No information available	
<b>Autoignition Temperature</b>	<b>&gt; 250 °C</b> > 482 °F		

Version EUBE

SDS # : 38674

**MOTOR OIL 5W-30 DEXOS2**

Revision Date: 2011-02-21

Version 2

<b>Viscosity, kinematic</b>	69 mm <sup>2</sup> /s	@ 40 °C	ISO 3104
	11.8 mm <sup>2</sup> /s	@ 100 °C	ISO 3104

<b>Explosive properties</b>	Not explosive
<b>Oxidising Properties</b>	not applicable
<b>Possibility of hazardous reactions</b>	not applicable

9.2. Other information**10. STABILITY AND REACTIVITY**10.1. Reactivity10.2. Chemical stability

<b>Stability</b>	Stable under recommended storage conditions.
------------------	--

10.3. Possibility of hazardous reactions

<b>Hazardous reactions</b>	None under normal processing.
----------------------------	-------------------------------

10.4. Conditions to Avoid

<b>Conditions to Avoid</b>	Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.
----------------------------	---

10.5. Incompatible materials

<b>Materials to avoid</b>	Oxidizing agents, Acids.
---------------------------	--------------------------

10.6. Hazardous Decomposition Products

<b>Hazardous Decomposition Products</b>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.
---	--

**11. TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effectsAcute toxicity Local effects, Product Information

<b>Skin contact</b>	Not classified.
---------------------	-----------------

<b>Eye contact</b>	Not classified.
--------------------	-----------------

<b>Inhalation</b>	Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.
-------------------	---

Version EUBE

SDS # : 38674

**MOTOR OIL 5W-30 DEXOS2**

Revision Date: 2011-02-21

Version 2

**Ingestion** Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**Acute toxicity Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diphenylamine	= 1165 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	

**Sensitisation**

**Sensitisation** Not classified as a sensitizer.

**Specific effects**

**Carcinogenicity** This product is not classified carcinogenic. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.

**Mutagenicity** None known.

**Toxicity for reproduction** This product does not contain any known or suspected reproductive hazards.

**Repeated Dose Toxicity**

**Subchronic Toxicity** No information available.

**Target Organ Effects (STOT)**

**Target Organ Effects (STOT)** No information available.

**Other information**

**Other adverse effects** Characteristic skin lesions (oil blisters) may develop following prolonged and repeated exposures (contact with contaminated clothing).

**12. ECOLOGICAL INFORMATION****12.1. Toxicity****Acute aquatic toxicity Product Information**

No information available.

**Acute aquatic toxicity Component Information**

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms

Version EUBE



SDS # : 38674

**MOTOR OIL 5W-30 DEXOS2**

Revision Date: 2011-02-21

Version 2

Zinc alkyl dithiophosphate 68649-42-3		EC50 (48h) 1 - 1.5 mg/L Daphnia magna	LC50 (96h) 1.0-5.0 mg/L Pimephales promelas (static) LC50 (96h) 10.0- 35.0 mg/L Pimephales promelas (semi-static)	
Zinc alkyl dithiophosphate 68649-42-3		EC50 (48h) 1 - 1.5 mg/L Daphnia magna	LC50 (96h) 1.0-5.0 mg/L Pimephales promelas (static) LC50 (96h) 10.0- 35.0 mg/L Pimephales promelas (semi-static)	
Diphenylamine 122-39-4	EC50 (72h) = 1.5 mg/l Scenedesmus subspicatus	EC50 (48h) 1.69 - 2.46 mg/L Daphnia magna	LC50 (96h) 3.47-4.14 mg/L Pimephales promelas (flow- through)	EC50 = 4.77 mg/L 30 min EC50 = 2.81 mg/L 5 min EC50 = 3.46 mg/L 15 min

**Chronic aquatic toxicity Product Information**

No information available.

**Chronic aquatic toxicity Component Information**

No information available.

**Effects on terrestrial organisms**

No information available.

12.2. Persistence and Degradability**General Information**

No information available

12.3. Bioaccumulative potential**Product Information**

No information available

**logPow**

No information available

**Component Information**

Chemical Name	log Pow
Diphenylamine - 122-39-4	3.5

12.4. Mobility in soil**Soil**

Given its physical and chemical characteristics, the product generally shows low soil mobility.

**Air**

Loss by evaporation is limited.

**Water**

The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment**PBT and vPvB assessment**

No information available.

Version EUBE

SDS # : 38674

**MOTOR OIL 5W-30 DEXOS2**

Revision Date: 2011-02-21

Version 2

12.6. Other adverse effects**13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods

<b>Waste from residues / unused products</b>	Dispose of in accordance with the European Directives on waste and hazardous waste. After use, this oil must be sent to a used oil collection location. Incorrect disposal of used oil endangers the environment. Every mixture with foreign substances such as solvents, brake and cooling liquids is forbidden.
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal
<b>EWC Waste Disposal No</b>	The following Waste Codes are only suggestions: 13 02 05.
<b>Other information</b>	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

**14. TRANSPORT INFORMATION**

<u>ADR/RID</u>	not regulated
<u>IMDG/IMO</u>	not regulated
<u>ICAO/IATA</u>	not regulated
<u>ADN</u>	not regulated

**15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

International Inventories

<b>EINECS/ELINCS</b>	-
<b>TSCA</b>	-
<b>DSL</b>	-

Version EUBE

SDS # : 38674

**MOTOR OIL 5W-30 DEXOS2**

Revision Date: 2011-02-21

Version 2

**ENCS** -  
**IECSC** -  
**KECL** -  
**PICCS** -  
**AICS** -  
**NZIoC** -

**Legend****EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**NZIoC** - New Zealand Inventory of Chemicals

Further information

15.2. Chemical Safety Assessment**Chemical Safety Assessment** No information available15.3. National regulatory information**Belgium**

Avoid exceeding occupational exposure limits (see section 8).

**16. OTHER INFORMATION****Full text of R-phrases referred to under sections 2 and 3**

R53 - May cause long-term adverse effects in the aquatic environment

R38 - Irritating to skin

R41 - Risk of serious damage to eyes

R33 - Danger of cumulative effects

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

**Full text of H-Statements referred to under section 2 and 3**

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

**Abbreviations, acronyms**

Legend Section 8

+

Sensitiser

\*

Skin designation

Version EUBE

SDS # : 38674

**MOTOR OIL 5W-30 DEXOS2**

Revision Date: 2011-02-21

Version 2

---

**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

Revision Date: 2011-02-21

Revision Note \*\*\* Indicates updated section

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

---

**This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.**

**End of Safety Data Sheet**

Version EUBE